

# Recent progress in multivariate methods for particle physics



17 January, 2010



Glen Cowan  
Physics Department  
Royal Holloway, University of London  
[g.cowan@rhul.ac.uk](mailto:g.cowan@rhul.ac.uk)  
[www.pp.rhul.ac.uk/~cowan](http://www.pp.rhul.ac.uk/~cowan)

# Outline

## Multivariate methods for HEP

Event selection as a statistical test

Neyman-Pearson lemma and likelihood ratio test

## Some multivariate classifiers:

“Naive” (cuts, linear)

Neural networks

Boosted Decision Trees

Support Vector Machines

# Data analysis in particle physics

Particle physics experiments are expensive

e.g. LHC,  $\sim \$10^{10}$  (accelerator and experiments)

the competition is intense

(ATLAS vs. CMS) vs. Tevatron

and the stakes are high:



4 sigma effect


5 sigma effect



Hence the increased interest in advanced statistical methods.

# The Standard Model of particle physics

Matter...



+ gauge bosons...

photon ( $\gamma$ ),  $W^\pm$ ,  $Z$ , gluon ( $g$ )

+ relativity + quantum mechanics + symmetries... = Standard Model

25 free parameters (masses, coupling strengths,...).

Includes Higgs boson (not yet seen).

Almost certainly incomplete (e.g. no gravity).

Agrees with all experimental observations so far.

Many candidate extensions to SM (supersymmetry, extra dimensions,...)

# The Large Hadron Collider



Counter-rotating proton beams  
in 27 km circumference ring

pp centre-of-mass energy 14 TeV


Detectors at 4 pp collision points:

ATLAS

CMS ← general purpose



LHCb (b physics)

ALICE (heavy ion physics)




# The ATLAS detector

2100 physicists  
37 countries  
167 universities/labs



25 m diameter  
46 m length  
7000 tonnes  
 $\sim 10^8$  electronic channels

# LHC event production rates



← most events (boring)

← mildly interesting

← interesting

← very interesting  
(~1 out of every  $10^{11}$ )

# LHC data

At LHC,  $\sim 10^9$  pp collision events per second, mostly uninteresting

do quick sifting, record  $\sim 200$  events/sec

single event  $\sim 1$  Mbyte

1 “year”  $\approx 10^7$  s,  $10^{16}$  pp collisions / year

$2 \times 10^9$  events recorded / year ( $\sim 2$  Pbyte / year)


For new/rare processes, rates at LHC can be vanishingly small

e.g. Higgs bosons detectable per year could be  $\sim 10^3$


→ 'needle in a haystack'

For Standard Model and (many) non-SM processes we can generate simulated data with Monte Carlo programs (including simulation of the detector).

# A simulated SUSY event in ATLAS



# Background events



This event from Standard Model  $t\bar{t}$  production also has high  $p_T$  jets and muons, and some missing transverse energy.

→ can easily mimic a SUSY event.

# A simulated event

PYTHIA Monte Carlo  
pp  $\rightarrow$  gluino-gluino

Event listing (summary)									
I	particle/jet KS	KF	orig	p_x	p_y	p_z	E	m	
1	!p+	21	2212	0	0.000	0.000	7000.000	7000.000	0.938
2	!p+	21	2212	0	0.000	0.000	-7000.000	7000.000	0.938
=====									
3	!g!	21	21	1	0.863	-0.323	1739.862	1739.862	0.000
4	!ubar!	21	-2	2	-0.621	-0.163	-777.415	777.415	
5	!g!	21	21	3	-2.427	5.486	1487.857	1487.869	
6	!g!	21	21	4	-62.910	63.357	-463.274	471.799	
7	!~g!	21	1000021	0	314.363	544.843	498.897	979.192	
8	!~g!	21	1000021	0	-379.700	-476.000	525.686	980.477	
9	!~chi_1-!	21	-1000024	7	130.058	112.247	129.860	263.141	
10	!sbar!	21	-3	7	259.400	187.468	83.100	330.664	397 pi+
11	!c!	21	4	7	-79.403	242.409	283.026	381.016	398 gamma
12	!~chi_20!	21	1000023	8	-326.241	-80.971	113.712	385.931	399 gamma
13	!b!	21	5	8	-51.841	-294.077	389.853	491.098	400 (pi0
14	!bbar!	21	-5	8	-0.597	-99.577	21.299	101.944	401 (pi0
15	!~chi_10!	21	1000022	9	103.352	81.316	83.457	175.000	402 (pi0
16	!s!	21	3	9	5.451	38.374	52.302	65.100	403 gamma
17	!cbar!	21	-4	9	20.839	-7.250	-5.938	22.899	404 gamma
18	!~chi_10!	21	1000022	12	-136.266	-72.961	53.246	181.914	405 pi-
19	!nu_mu!	21	14	12	-78.263	-24.757	21.719	84.910	406 pi+
20	!nu_mubar!	21	-14	12	-107.801	16.901	38.226	115.620	407 K+
=====									
21	gamma	1	22	4	2.636	1.357	0.125	2.967	408 pi-
22	(~chi_1-)	11	-1000024	9	129.643	112.440	129.820	262.999	409 (pi0
23	(~chi_20)	11	1000023	12	-322.330	-80.817	113.191	382.444	410 (pi0
24	~chi_10	1	1000022	15	97.944	77.819	80.917	169.004	411 (Kbar
25	~chi_10	1	1000022	18	-136.266	-72.961	53.246	181.914	412 pi-
26	nu_mu	1	14	19	-78.263	-24.757	21.719	84.910	413 K+
27	nu_mubar	1	-14	20	-107.801	16.901	38.226	115.620	414 (pi0
28	(Delta++)	11	2224	2	0.222	0.012	-2734.287	2734.287	415 (K_S
									416 K+
									417 pi-
									418 nbar
									419 (pi0
									420 pi+
									421 (pi0
									422 n0

397	pi+	1	211	209	0.006	0.398	-308.296	308.297	0.140
398	gamma	1	22	211	0.407	0.087	-1695.458	1695.458	0.000
399	gamma	1	22	211	0.113	-0.029	-314.822	314.822	0.000
400	(pi0)	11	111	212	0.021	0.122	-103.709	103.709	0.135
401	(pi0)	11	111	212	0.084	-0.068	-94.276	94.276	0.135
402	(pi0)	11	111	212	0.267	-0.052	-144.673	144.674	0.135
403	gamma	1	22	215	-1.581	2.473	3.306	4.421	0.000
404	gamma	1	22	215	-1.494	2.143	3.051	4.016	0.000
405	pi-	1	-211	216	0.007	0.738	4.015	4.085	0.140
406	pi+	1	211	216	-0.024	0.293	0.486	0.585	0.140
407	K+	1	321	218	4.382	-1.412	-1.799	4.968	0.494
408	pi-	1	-211	218	1.183	-0.894	-0.176	1.500	0.140
409	(pi0)	11	111	218	0.955	-0.459	-0.590	1.221	0.135
410	(pi0)	11	111	218	2.349	-1.105	-1.181	2.855	0.135
411	(Kbar0)	11	-311	219	1.441	-0.247	-0.472	1.615	0.498
412	pi-	1	-211	219	2.232	-0.400	-0.249	2.285	0.140
413	K+	1	321	220	1.380	-0.652	-0.361	1.644	0.494
414	(pi0)	11	111	220	1.078	-0.265	0.175	1.132	0.135
415	(K_S0)	11	310	222	1.841	0.111	0.894	2.109	0.498
416	K+	1	321	223	0.307	0.107	0.252	0.642	0.494
417	pi-	1	-211	223	0.266	0.316	-0.201	0.480	0.140
418	nbar0	1	-2112	226	1.335	1.641	2.078	3.111	0.940
419	(pi0)	11	111	226	0.899	1.046	1.311	1.908	0.135
420	pi+	1	211	227	0.217	1.407	1.356	1.971	0.140
421	(pi0)	11	111	227	1.207	2.336	2.767	3.820	0.135
422	n0	1	2112	228	3.475	5.324	5.702	8.592	0.940
423	pi-	1	-211	228	1.856	2.606	2.808	4.259	0.140
424	gamma	1	22	229	-0.012	0.247	0.421	0.489	0.000
425	gamma	1	22	229	0.025	0.034	0.009	0.043	0.000
426	pi+	1	211	230	2.718	5.229	6.403	8.703	0.140
427	(pi0)	11	111	230	4.109	6.747	7.597	10.961	0.135
428	pi-	1	-211	231	0.551	1.233	1.945	2.372	0.140
429	(pi0)	11	111	231	0.645	1.141	0.922	1.608	0.135
430	gamma	1	22	232	-0.383	1.169	1.208	1.724	0.000
431	gamma	1	22	232	-0.201	0.070	0.060	0.221	0.000

- 
- 
-

# Event selection as a statistical test


For each event we measure a set of numbers:  $\vec{x} = (x_1, \dots, x_n)$

$x_1 = \text{jet } p_T$

$x_2 = \text{missing energy}$

$x_3 = \text{particle i.d. measure, ...}$

$\vec{x}$  follows some  $n$ -dimensional joint probability density, which depends on the type of event produced, i.e., was it  $pp \rightarrow t\bar{t}$ ,  $pp \rightarrow \tilde{g}\tilde{g}, \dots$




E.g. hypotheses  $H_0, H_1, \dots$   
Often simply “signal”,  
“background”



# Finding an optimal decision boundary

In particle physics usually start by making simple “cuts”:

$$\begin{aligned}x_i &< c_i \\x_j &< c_j\end{aligned}$$



Maybe later try some other type of decision boundary:



# Test statistics


The decision boundary is a surface in the  $n$ -dimensional space of input variables, e.g.,  $y(\vec{x}) = \text{const.}$

We can treat the  $y(x)$  as a scalar **test statistic** or discriminating function, and try to define this function so that its distribution has the maximum possible separation between the event types:

The decision boundary is now effectively a single cut on  $y(x)$ , dividing  $x$ -space into two regions:

$R_0$  (accept  $H_0$ )

$R_1$  (reject  $H_0$ )



# Constructing a test statistic

The **Neyman-Pearson lemma** states: to obtain the highest background rejection for a given signal efficiency (highest power for a given significance level), choose the acceptance region for signal such that

$$\frac{p(\vec{x}|\mathbf{s})}{p(\vec{x}|\mathbf{b})} > c$$

where  $c$  is a constant that determines the signal efficiency.

Equivalently, the optimal discriminating function is given by the **likelihood ratio**:


$$y(\vec{x}) = \frac{p(\vec{x}|\mathbf{s})}{p(\vec{x}|\mathbf{b})}$$

N.B. any monotonic function of this is just as good.

# Neyman-Pearson doesn't always help

The problem is that we usually don't have explicit formulae for the pdfs  $p(\mathbf{x}|s)$ ,  $p(\mathbf{x}|b)$ , so for a given  $\mathbf{x}$  we can't evaluate the likelihood ratio.

Instead we have Monte Carlo models for signal and background processes, so we can produce simulated data:

generate  $\vec{x} \sim p(\vec{x}|s)$   $\longrightarrow$   $\vec{x}_1, \dots, \vec{x}_{N_s}$   “training data”  
events of known type  
generate  $\vec{x} \sim p(\vec{x}|b)$   $\longrightarrow$   $\vec{x}_1, \dots, \vec{x}_{N_b}$

Naive try: enter each (s,b) event into an  $n$ -dimensional histogram, use e.g.  $M$  bins for each of the  $n$  dimensions, total of  $M^n$  cells.

$n$  is potentially large  $\rightarrow$  prohibitively large number of cells to populate, can't generate enough training data.

# Two distinct event selection problems

In some cases, the event types in question are both known to exist.


Example: separation of different particle types (electron vs muon)  
Use the selected sample for further study.

In other cases, the null hypothesis  $H_0$  means "Standard Model" events, and the alternative  $H_1$  means "events of a type whose existence is not yet established" (to do so is the goal of the analysis).


Many subtle issues here, mainly related to the heavy burden of proof required to establish presence of a new phenomenon.

Typically require  $p$ -value of background-only hypothesis below  $\sim 10^{-7}$  (a 5 sigma effect) to claim discovery of "New Physics".

# Using classifier output for discovery



Normalized to unity



Normalized to expected number of events

Discovery = number of events found in search region incompatible with background-only hypothesis.

$p$ -value of background-only hypothesis can depend crucially on distribution  $f(y|b)$  in the "search region".

# Some “standard” multivariate methods

## Place cuts on individual variables

Simple, intuitive, in general not optimal

## Linear discriminant (e.g. Fisher)

Simple, optimal if the event types are Gaussian distributed with equal covariance, otherwise not optimal.

## Probability Density Estimation based methods

Try to estimate  $p(\mathbf{x}|\mathbf{s})$ ,  $p(\mathbf{x}|\mathbf{b})$  then use  $y(\vec{x}) = \hat{p}(\mathbf{x}|\mathbf{s}) / \hat{p}(\mathbf{x}|\mathbf{b})$ .



In principle best, difficult to estimate  $p(\mathbf{x})$  for high dimension.

## Neural networks

Can produce arbitrary decision boundary (in principle optimal), but can be difficult to train, result non-intuitive.

# Example of a "cut-based" study


In the 1990s, the CDF experiment at Fermilab (Chicago) measured the number of hadron jets produced in proton-antiproton collisions as a function of their momentum perpendicular to the beam direction:



Prediction low relative to data for very high transverse momentum.

# High $p_T$ jets = quark substructure?

Although the data agree remarkably well with the Standard Model (QCD) prediction overall, the excess at high  $p_T$  appears significant:




The fact that the variable is "understandable" leads directly to a plausible explanation for the discrepancy, namely, that quarks could possess an internal substructure.

Would not have been the case if the variable plotted was a complicated combination of many inputs.

# High $p_T$ jets from parton model uncertainty

Furthermore the physical understanding of the variable led one to a more plausible explanation, namely, an uncertain modeling of the quark (and gluon) momentum distributions inside the proton.



When model adjusted, discrepancy largely disappears:



Can be regarded as a "success" of the cut-based approach. Physical understanding of output variable led to solution of apparent discrepancy.

# Linear decision boundaries

A linear decision boundary is only optimal when both classes follow multivariate Gaussians with equal covariances and different means.



For some other cases a linear boundary is almost useless.



# Nonlinear transformation of inputs

We can try to find a transformation,  $x_1, \dots, x_n \rightarrow \varphi_1(\vec{x}), \dots, \varphi_m(\vec{x})$  so that the transformed “feature space” variables can be separated better by a linear boundary:

$$\varphi_1 = \tan^{-1}(x_2/x_1)$$


$$\varphi_2 = \sqrt{x_1^2 + x_2^2}$$

Here, guess fixed  
basis functions  
(no free parameters)



# Neural networks in particle physics

For many years, the only "advanced" classifier used in particle physics.




$$h_i(\vec{x}) = s \left( w_{i0} + \sum_{j=1}^n w_{ij} x_j \right) ,$$

$$t(\vec{x}) = s \left( a_0 + \sum_{i=1}^n a_i h_i(\vec{x}) \right) .$$

Usually use single hidden layer,  
logistic sigmoid activation function:


$$s(u) = (1 + e^{-u})^{-1}$$



# Neural network example from LEP II


Signal:  $e^+e^- \rightarrow W^+W^-$  (often 4 well separated hadron jets)

Background:  $e^+e^- \rightarrow q\bar{q}g\bar{g}$  (4 less well separated hadron jets)



← input variables based on jet structure, event shape, ...  
none by itself gives much separation.

Neural network output:



(Garrido, Juste and Martinez, ALEPH 96-144)

# Some issues with neural networks

In the example with WW events, goal was to select these events so as to study properties of the W boson.

Needed to avoid using input variables correlated to the properties we eventually wanted to study (not trivial).

In principle a single hidden layer with an sufficiently large number of nodes can approximate arbitrarily well the optimal test variable (likelihood ratio).



Usually start with relatively small number of nodes and increase until misclassification rate on validation data sample ceases to decrease.

Often MC training data is cheap -- problems with getting stuck in local minima, overtraining, etc., less important than concerns of systematic differences between the training data and Nature, and concerns about the ease of interpretation of the output.

# Overtraining


If decision boundary is too flexible it will conform too closely to the training points → **overtraining**.

Monitor by applying classifier to independent test sample.









# Particle i.d. in MiniBooNE

Detector is a 12-m diameter tank of mineral oil exposed to a beam of neutrinos and viewed by 1520 photomultiplier tubes:



Search for  $\nu_\mu$  to  $\nu_e$  oscillations required particle i.d. using information from the PMTs.



H.J. Yang, MiniBooNE PID, DNP06

# Decision trees

Out of all the input variables, find the one for which with a single cut gives best improvement in signal purity:


$$P = \frac{\sum_{\text{signal}} w_i}{\sum_{\text{signal}} w_i + \sum_{\text{background}} w_i}$$

where  $w_i$  is the weight of the  $i$ th event.

Resulting nodes classified as either signal/background.

Iterate until stop criterion reached based on e.g. purity or minimum number of events in a node.

The set of cuts defines the decision boundary.



Example by MiniBooNE experiment,  
B. Roe et al., NIM 543 (2005) 577

# Decision trees (2)

The terminal nodes (**leaves**) are classified as signal or background depending on majority vote (or e.g. signal fraction greater than a specified threshold).

This classifies every point in input-variable space as either signal or background, a **decision tree classifier**, with the discriminant function

$$f(\mathbf{x}) = 1 \text{ if } \mathbf{x} \in \text{signal region}, -1 \text{ otherwise}$$

Decision trees tend to be very sensitive to statistical fluctuations in the training sample.

Methods such as **boosting** can be used to stabilize the tree.

# Boosting

Boosting is a general method of creating a set of classifiers which can be combined to achieve a new classifier that is more stable and has a smaller error than any individual one.

Often applied to decision trees but, can be applied to any classifier.

Suppose we have a training sample  $T$  consisting of  $N$  events with

$\mathbf{x}_1, \dots, \mathbf{x}_N$	event data vectors (each $\mathbf{x}$ multivariate)
$y_1, \dots, y_N$	true class labels, +1 for signal, -1 for background
$w_1, \dots, w_N$	event weights

Now define a rule to create from this an ensemble of training samples  $T_1, T_2, \dots$ , derive a classifier from each and average them.

# AdaBoost

A successful boosting algorithm is AdaBoost (Freund & Schapire, 1997).

First initialize the training sample  $T_1$  using the original

$\mathbf{x}_1, \dots, \mathbf{x}_N$  event data vectors

$y_1, \dots, y_N$  true class labels (+1 or -1)

$w_1^{(1)}, \dots, w_N^{(1)}$  event weights

with the weights equal and normalized such that  $\sum_{i=1}^N w_i^{(1)} = 1$ .

Train the classifier  $f_1(\mathbf{x})$  (e.g. a decision tree) using the weights  $w^{(1)}$  so as to minimize the classification error rate,

$$\varepsilon_1 = \sum_{i=1}^N w_i^{(1)} I(y_i f_1(\mathbf{x}_i) \leq 0),$$

where  $I(X) = 1$  if  $X$  is true and is zero otherwise.

# Updating the event weights (AdaBoost)

Assign a score to the  $k$ th classifier based on its error rate:

$$\alpha_k = \ln \frac{1 - \varepsilon_k}{\varepsilon_k}$$

Define the training sample for step  $k+1$  from that of  $k$  by updating the event weights according to

$$w_i^{(k+1)} = w_i^{(k)} \frac{e^{-\alpha_k f_k(\mathbf{x}_i) y_i / 2}}{Z_k}$$


$i$  = event index       $k$  = training sample index      Normalize so that  $\sum_i w_i^{(k+1)} = 1$

Iterate  $K$  times, final classifier is  $y(\mathbf{x}) = \sum_{k=1}^K \alpha_k f_k(\mathbf{x}, T_k)$

# BDT example from MiniBooNE

~200 input variables for each event ( $\nu$  interaction producing  $e$ ,  $\mu$  or  $\pi$ ).


Each individual tree is relatively weak, with a misclassification error rate  $\sim 0.4 - 0.45$



B. Roe et al., NIM 543 (2005) 577


# Monitoring overtraining

From MiniBooNE  
example:  
Performance stable  
after a few hundred  
trees.



# Comparison of boosting algorithms

A number of boosting algorithms on the market; differ in the update rule for the weights.



# Boosted decision tree summary

Advantage of boosted decision tree is it can handle a large number of inputs. Those that provide little/no separation are rarely used as tree splitters are effectively ignored.

Easy to deal with inputs of mixed types (real, integer, categorical...).


If a tree has only a few leaves it is easy to visualize (but rarely use only a single tree).

There are a number of boosting algorithms, which differ primarily in the rule for updating the weights ( $\epsilon$ -Boost, LogitBoost,...)


Other ways of combining weaker classifiers: Bagging (Bootstrap-Aggregating), generates the ensemble of classifiers by random sampling with replacement from the full training sample.

# Single top quark production (CDF/D0)


Top quark discovered in pairs, but SM predicts single top production.





Pair-produced tops are now a background process.



Use many inputs based on jet properties, particle i.d., ...



# Different classifiers for single top



Also Naive Bayes and various approximations to likelihood ratio,....

Final combined result is statistically significant ( $>5\sigma$  level) but not easy to understand classifier outputs.

# Support Vector Machines

Map input variables into high dimensional feature space:  $\mathbf{x} \rightarrow \phi$


Maximize distance between separating hyperplanes (margin)  
subject to constraints allowing for some misclassification.

Final classifier only depends on scalar  
products of  $\phi(\mathbf{x})$ :

$$y(\mathbf{x}) = \text{sign} \left( \sum_i \alpha_i y_i \vec{\phi}(\mathbf{x}) \cdot \vec{\phi}(\mathbf{x}_i) + b \right)$$

So only need kernel

$$K(\mathbf{x}, \mathbf{x}') = \vec{\phi}(\mathbf{x}) \cdot \vec{\phi}(\mathbf{x}')$$



# Support Vector Machines

Support Vector Machines (SVMs) are an example of a kernel-based classifier, which exploits a nonlinear mapping of the input variables onto a higher dimensional feature space.

The SVM finds a linear decision boundary in the higher dimensional space.

But thanks to the “kernel trick” one does not every have to write down explicitly the feature space transformation.

Some references for kernel methods and SVMs:

The books mentioned in [www.pp.rhul.ac.uk/~cowan/mainz\\_lectures.html](http://www.pp.rhul.ac.uk/~cowan/mainz_lectures.html)

C. Burges, A Tutorial on Support Vector Machines for Pattern Recognition,  
[research.microsoft.com/~cburges/papers/SVMTutorial.pdf](http://research.microsoft.com/~cburges/papers/SVMTutorial.pdf)

N. Cristianini and J.Shawe-Taylor. An Introduction to Support Vector Machines and other kernel-based learning methods. Cambridge University Press, 2000.

The TMVA manual (!)

# Linear SVMs

Consider a training data set consisting of

$\mathbf{x}_1, \dots, \mathbf{x}_N$  event data vectors

$y_1, \dots, y_N$  true class labels (+1 or -1)


Suppose the classes can be separated by a hyperplane defined by a normal vector  $\mathbf{w}$  and scalar offset  $b$  (the “bias”). We have

$$\mathbf{x}_i \cdot \mathbf{w} + b \geq +1 \quad \text{for all } y_i = +1$$

$$\mathbf{x}_i \cdot \mathbf{w} + b \leq -1 \quad \text{for all } y_i = -1$$

or equivalently

$$y_i(\mathbf{x}_i \cdot \mathbf{w} + b) - 1 \geq 0 \quad \text{for all } i$$




Bishop Ch. 7

# Margin and support vectors

The distance between the hyperplanes defined by  $y(\mathbf{x}) = \mathbf{x} \cdot \mathbf{w} + b = +1$  and  $y(\mathbf{x}) = -1$  is called the **margin**, which is:

$$\text{margin} = \frac{2}{\|\mathbf{w}\|}$$



If the training data are perfectly separated then this means there are no points inside the margin.

Suppose there are points on the margin (this is equivalent to defining the scale of  $\mathbf{w}$ ). These points are called **support vectors**.

# Linear SVM classifier

We can define the classifier using

$$f(\mathbf{x}) = \text{sign}(\mathbf{x} \cdot \mathbf{w} + b)$$

which is +1 for points on one side of the hyperplane and -1 on the other.

The best classifier should have a large margin, so to maximize

$$\text{margin} = \frac{2}{\|\mathbf{w}\|}$$

we can minimize  $\|\mathbf{w}\|^2$  subject to the constraints

$$y_i(\mathbf{x}_i \cdot \mathbf{w} + b) - 1 \geq 0 \quad \text{for all } i$$

# Lagrangian formulation

This constrained minimization problem can be reformulated using a Lagrangian

$$L = \frac{1}{2} \|\mathbf{w}\|^2 - \sum_{i=1}^N \alpha_i (y_i (\mathbf{x}_i \cdot \mathbf{w} + b) - 1)$$

positive Lagrange multipliers  $\alpha_i$

We need to minimize  $L$  with respect to  $\mathbf{w}$  and  $b$  and maximize with respect to  $\alpha_i$ .

There is an  $\alpha_i$  for every training point. Those that lie on the margin (the support vectors) have  $\alpha_i > 0$ , all others have  $\alpha_i = 0$ . The solution can be written

$$\mathbf{w} = \sum_i \alpha_i y_i \mathbf{x}_i \quad \text{(sum only contains support vectors)}$$

# Dual formulation

The classifier function is thus

$$f(\mathbf{x}) = \text{sign}(\mathbf{x} \cdot \mathbf{w} + b) = \text{sign}\left(\sum_i \alpha_i y_i \mathbf{x} \cdot \mathbf{x}_i + b\right)$$

It can be shown that one finds the same solution a by minimizing the dual Lagrangian

$$L_D = \sum_i \alpha_i - \frac{1}{2} \sum_{i,j} \alpha_i \alpha_j y_i y_j \mathbf{x}_i \cdot \mathbf{x}_j$$

So this means that both the classifier function and the Lagrangian only involve dot products of vectors in the input variable space.

# Nonseparable data

If the training data points cannot be separated by a hyperplane, one can redefine the constraints by adding slack variables  $\xi_i$ :


$$y_i(\mathbf{x}_i \cdot \mathbf{w} + b) + \xi_i - 1 \geq 0 \text{ with } \xi_i \geq 0 \text{ for all } i$$

Thus the training point  $\mathbf{x}_i$  is allowed to be up to a distance  $\xi_i$  on the wrong side of the margin, and  $\xi_i = 0$  at or on the right side.

For an error to occur we have  $\xi_i > 1$ , so

$$\sum_i \xi_i$$

is an upper bound on the number of training errors.



# Cost function for nonseparable case

To limit the magnitudes of the  $\xi_i$  we can define the error function that we minimize to determine  $\mathbf{w}$  to be

$$E(\mathbf{w}) = \frac{1}{2} \|\mathbf{w}\|^2 + C \left( \sum_i \xi_i \right)^k$$

where  $C$  is a cost parameter we must choose that limits the amount of misclassification. It turns out that for  $k=1$  or  $2$  this is a quadratic programming problem and furthermore for  $k=1$  it corresponds to minimizing the same dual Lagrangian

$$L_D = \sum_i \alpha_i - \frac{1}{2} \sum_{i,j} \alpha_i \alpha_j y_i y_j \mathbf{x}_i \cdot \mathbf{x}_j$$

where the constraints on the  $\alpha_i$  become  $0 \leq \alpha_i \leq C$ .

# Nonlinear SVM

So far we have only reformulated a way to determine a linear classifier, which we know is useful only in limited circumstances.

But the important extension to nonlinear classifiers comes from first transforming the input variables to feature space:

$$\vec{\phi}(\mathbf{x}) = (\phi_1(\mathbf{x}), \dots, \phi_m(\mathbf{x}))$$

These will behave just as our new “input variables”. Everything about the mathematical formulation of the SVM will look the same as before except with  $\phi(\mathbf{x})$  appearing in the place of  $\mathbf{x}$ .

# Only dot products

Recall the SVM problem was formulated entirely in terms of dot products of the input variables, e.g., the classifier is

$$f(\mathbf{x}) = \text{sign} \left( \sum_i \alpha_i y_i \mathbf{x} \cdot \mathbf{x}_i + b \right)$$

so in the feature space this becomes

$$f(\mathbf{x}) = \text{sign} \left( \sum_i \alpha_i y_i \vec{\varphi}(\mathbf{x}) \cdot \vec{\varphi}(\mathbf{x}_i) + b \right)$$

# The Kernel trick

How do the dot products help? It turns out that a broad class of **kernel functions** can be written in the form:

$$K(\mathbf{x}, \mathbf{x}') = \vec{\phi}(\mathbf{x}) \cdot \vec{\phi}(\mathbf{x}')$$

Functions having this property must satisfy Mercer's condition

$$\int \int K(\mathbf{x}, \mathbf{x}') g(\mathbf{x}) g(\mathbf{x}') d\mathbf{x} d\mathbf{x}' \geq 0$$

for any function  $g$  where  $\int g^2(\mathbf{x}) d\mathbf{x}$  is finite.

So we don't even need to find explicitly the feature space transformation  $\phi(\mathbf{x})$ , we only need a kernel.

# Finding kernels

There are a number of techniques for finding kernels, e.g., constructing new ones from known ones according to certain rules (cf. Bishop Ch 6).

Frequently used kernels to construct classifiers are e.g.

$$K(\mathbf{x}, \mathbf{x}') = (\mathbf{x} \cdot \mathbf{x}' + \theta)^p \quad \text{polynomial}$$

$$K(\mathbf{x}, \mathbf{x}') = \exp\left(\frac{-\|\mathbf{x} - \mathbf{x}'\|^2}{2\sigma^2}\right) \quad \text{Gaussian}$$

$$K(\mathbf{x}, \mathbf{x}') = \tanh(\kappa(\mathbf{x} \cdot \mathbf{x}') + \theta) \quad \text{sigmoidal}$$

# Using an SVM

To use an SVM the user must as a minimum choose

- a kernel function (e.g. Gaussian)

- any free parameters in the kernel (e.g. the  $\sigma$  of the Gaussian)

- a cost parameter  $C$  (plays role of regularization parameter)


The training is relatively straightforward because, in contrast to neural networks, the function to be minimized has a single global minimum.

Furthermore evaluating the classifier only requires that one retain and sum over the support vectors, a relatively small number of points.

The advantages/disadvantages and rationale behind the choices above is not always clear to the particle physicist -- help needed here.

# SVM in particle physics

SVMs are very popular in the Machine Learning community but have yet to find wide application in HEP. Here is an early example from a CDF top quark analysis (A. Vaiciulis, contribution to PHYSTAT02).



# Summary on multivariate methods

Particle physics has used several multivariate methods for many years:

- linear (Fisher) discriminant

- neural networks

- naive Bayes

and has in the last several years started to use a few more

- $k$ -nearest neighbour

- boosted decision trees

- support vector machines

The emphasis is often on controlling systematic uncertainties between the modeled training data and Nature to avoid false discovery.

Although many classifier outputs are "black boxes", a discovery at  $5\sigma$  significance with a sophisticated (opaque) method will win the competition if backed up by, say,  $4\sigma$  evidence from a cut-based method.

# Quotes I like

*“Keep it simple.  
As simple as possible.  
Not any simpler.”*

– A. Einstein

*“If you believe in something  
you don't understand, you suffer...”*  
– Stevie Wonder

# Extra slides

# Resources on multivariate methods

## Books:

C.M. Bishop, *Pattern Recognition and Machine Learning*, Springer, 2006

T. Hastie, R. Tibshirani, J. Friedman, *The Elements of Statistical Learning*, Springer, 2001

R. Duda, P. Hart, D. Stork, *Pattern Classification*, 2<sup>nd</sup> ed., Wiley, 2001

A. Webb, *Statistical Pattern Recognition*, 2<sup>nd</sup> ed., Wiley, 2002

## Materials from some recent meetings:

PHYSTAT conference series (2002, 2003, 2005, 2007,...) see  
[www.phystat.org](http://www.phystat.org)

Caltech workshop on multivariate analysis, 11 February, 2008  
[indico.cern.ch/conferenceDisplay.py?confId=27385](http://indico.cern.ch/conferenceDisplay.py?confId=27385)

SLAC Lectures on Machine Learning by Ilya Narsky (2006)  
[www-group.slac.stanford.edu/sluo/Lectures/Stat2006\\_Lectures.html](http://www-group.slac.stanford.edu/sluo/Lectures/Stat2006_Lectures.html)

# Software for multivariate analysis

**TMVA**, Höcker, Stelzer, Tegenfeldt, Voss, Voss, [physics/0703039](#)

From **tmva.sourceforge.net**, also distributed with ROOT

Variety of classifiers

Good manual

**StatPatternRecognition**, I. Narsky, [physics/0507143](#)

Further info from [www.hep.caltech.edu/~narsky/spr.html](http://www.hep.caltech.edu/~narsky/spr.html)


Also wide variety of methods, many complementary to **TMVA**

Currently appears project no longer to be supported


# Decision boundary flexibility

The decision boundary will be defined by some free parameters that we adjust using training data (of known type) to achieve the best separation between the event types.


Goal is to determine the boundary using a finite amount of training data so as to best separate between the event types for an unseen data sample.



overtraining



boundary too rigid



good trade-off