

SDA Discussion Notes Week 6

1


Problem Sheet 3 solutions

$$1) \quad x, y \sim f(x, y)$$

$$\text{Define } u = x + y$$

From week 2 slides p. 9,

$$g(u) du = \int_{\partial S} f(x, y) dx dy$$



$$\Rightarrow g(u) du = \int_{-\infty}^{\infty} \int_{u-x}^{u+du-x} f(x, y) dy dx$$

f approx. const. in infinitesimal interval.

$$\cancel{g(u) du = \int_{-\infty}^{\infty} f(x, u-x) dx du}$$

QED

or carry out integration in opposite order,

$$\Rightarrow g(u) = \int_{-\infty}^{\infty} f(u-y, y) dy$$

$$2) \quad x \sim \frac{1}{\beta} e^{-x/\beta} \quad x \geq 0$$

$$y \sim \frac{1}{\beta} e^{-y/\beta} \quad y \geq 0$$

x, y indep. $\Rightarrow f(x, y) = f(x) \cdot f(y)$

$$f(x, y) = \frac{1}{\beta^2} e^{-(x+y)/\beta^2}, \quad x, y \geq 0$$

$$\text{Let } u = x + y$$

$$\text{From Q1, } g(u) = \int_{-\infty}^{\infty} f(x, u-x) dx$$

Integrand nonzero for $x \geq 0$ and $y = u - x \geq 0$
 $\Rightarrow u \geq x$

$$\Rightarrow g(u) = \int_0^u \frac{1}{\beta^2} e^{-(x+u-x)/\beta} dx$$

$$= \frac{1}{\beta^2} e^{-u/\beta} \int_0^u dx$$

$$= \frac{u}{\beta^2} e^{-u/\beta}, \quad u \geq 0$$

(Special case of gamma dist.)

$$3) \quad x \sim f(x)$$

$$\rightarrow \text{cumul. dist} \quad F(x) = \int_{-\infty}^x f(x') dx'$$

$$\Rightarrow f(x) = \frac{dF}{dx}$$

$$r \sim \text{Uniform}[0, 1]$$

$$\text{i.e. } g(r) = 1, \quad 0 \leq r \leq 1$$

$$\text{If } F(x) = r \Rightarrow x = F^{-1}(r)$$

pdf of $x(r)$ is

$$p(x) = g(r) \left| \frac{dr}{dx} \right| = \frac{g(r)}{\left| \frac{dx}{dr} \right|} \quad \begin{matrix} \text{inverse function} \\ \text{theorem} \end{matrix}$$

$$\frac{dx}{dr} = \frac{d}{dr} F^{-1}(r) = \frac{1}{\frac{dF}{dx}(x(r))} = \frac{1}{f(x(r))}$$

$$\Rightarrow \frac{dr}{dx} = f(x)$$

$$\Rightarrow p(x) = 1 \times f(x)$$

$$= f(x)$$

```
In [1]: # simpleMC.py -- simple Monte Carlo program to make histogram of uniformly  
# distributed random values and plot  
# G. Cowan, RHUL Physics, October 2019
```

```
import matplotlib  
import matplotlib.pyplot as plt  
import numpy as np
```

```
In [2]: # generate data and store in numpy array, put into histogram
```

```
numVal = 10000  
nBins = 100  
xMin = 0.  
xMax = 1.  
xData = np.random.uniform(xMin, xMax, numVal)  
xHist, bin_edges = np.histogram(xData, bins=nBins, range=(xMin, xMax))
```

```
In [3]: # make plot and save in file
```

```
binLo, binHi = bin_edges[:-1], bin_edges[1:]  
xPlot = np.array([binLo, binHi]).T.flatten()  
yPlot = np.array([xHist, xHist]).T.flatten()  
fig, ax = plt.subplots(1,1)  
plt.gcf().subplots_adjust(bottom=0.15)  
plt.gcf().subplots_adjust(left=0.15)  
ax.set_xlim((xMin, xMax))  
ax.set_ylim((0., 150))  
plt.xlabel(r'$x$', labelpad=0)  
plt.plot(xPlot, yPlot)  
plt.show()  
plt.savefig("uniformHist.png", format='png')
```

