

## BDSMultilayerScreen

- xysize
- name
- size
- log
- phys
- solid
- screenLayers
- screenLayerZPos

- + BDSMultilayerScreen()
- + ~BDSMultilayerScreen()
- + log()
- + name()
- + size()
- + screenLayer()
- + screenLayer()
- + screenLayer()
- + screenLayer()
- + nLayers()
- + build()
- + phys()
- + phys()
- + place()
- + reflectiveSurface()
- + roughSurface()
- computeDimensions()
- buildMotherVolume()
- placeLayers()



## BDSAwakeMultilayerScreen

- material
- thickness
- gapWidth
- gapSpacing
- dgrain
- windowThickness
- windowMaterial
- layerThickness
- binderLayerThickness
- firstLayerThickness
- firstBinderLayerThickness
- nScintLayers
- fillFactor

- + BDSAwakeMultilayerScreen()

- + ~BDSAwakeMultilayerScreen()

- + surfaces()

- + place()

- layers()

- sampler()

- preWindowSampler()

- preScreenSampler()

- postScreenSampler()

- windowLayer()

- backLayer()

- substrateLayer()

- binderLayer()

- backBinderLayer()

- scintillatorLayer()

- backScintillatorLayer()

- frontScintillatorLayer1()

- frontScintillatorLayer2()

- frontLayer()

- reflectiveSurface()

- roughSurface()